

Rebeareth - FAW OM4-25 - Fall armyworm



Bottle, 0,5 litre



Jerry can 5 litre

Step 1

Pour the bottle in the 5 litre jerry can. Fill up the jerry can with tap water



5 litre



1 litre



Container 200 litre

Step 2

Fill up the container with 200 litre tap water. Pour from the jerry can **1 litre** in the 200 litre container

Step 3

Spray the **200 litres** with your preferred method on **1 hectare** of land (about 2.5 acres). That is: 0.4 litre per acre, diluted in 80 litres (4 x 20 litre knapsacks per acre)



200 litre



Rebearth - FAW OM4-25 - Fall armyworm

General

- Rebearth is absolutely safe, non-toxic and harmless
- Rebearth strengthens living plants to defend themselves against insects, drought, heat, cold, lack of fertilizers etc.
- Rebearth does not kill the fall armyworm, but stimulates the plant to do that.
- Works only on plants with the roots still in the soil


Prevention

- You preferably spray Rebearth during, or directly after seeding
- 3 applications during a growing season will suffice for maize
- Side effect: possibly increased yield

Cure infestation

If you did not spray Rebearth and you see infestation with the fall armyworm, apply Rebearth in one of the following ways:

- Manual application on smallholder farms: Apply one cup of diluted Rebearth (from the 200 litre container) per plant. Pour from top down.
- **IMPORTANT:** take care that Rebearth runs down the stalk and stays in the onset of the leaves in the stalk.
- Also spray on the soil / root system




How to apply:
Use your preferred application method



Method of testing

1. Take a fall armyworm, put it on a dish, pour some Rebeearth over de caterpillar and watch. **Result:** Nothing
2. Cut a leaf of the maize, containing larvae of the fall armyworm. Put some Rebeearth on the leaf and caterpillar and watch. **Result:** Nothing
3. Pour some Rebeearth over a maize stalk, with its roots firmly in the soil and watch. **Result:** Caterpillar is killed by plant chemicals, with the help of Rebeearth.

Rebeearth is a catalyst, that stimulates a chemical reaction in the plant, it participates in the process and strengthens the plant reaction to fight of unwanted invaders



Setting of a natural chemical chain reaction

Two methods to apply

1. **Prevention** : Spray Rebeearth on all your maize, 3 times per growing season
2. **Cure** : Spray Rebeearth only if there is an infestation with FAW, 1 to 4 times, or until harvest

PRO:

Prevention is the best way, by far. It also gives extra yield, power to better cope with drought, heat, cold, flooding, insects and fungi.

CON:

Cost in advance, you don't know if you will get FAW or not. You don't get extra yield.

Contact:

Agrosensi / Rebeearth
attn. Mr. Kees de Vries
Gompenstraat 35 - 35a
5145 RM Waalwijk, The Netherlands, EU
www.fallarmyworm.eu
k.devries@agrosensi.com

